GENETICS

A PERIODICAL RECORD OF INVESTIGATIONS
BEARING ON HEREDITY AND VARIATION

VOLUME 28 - 1943

WITH SEVEN PLATES AND EIGHTY-ONE TEXT FIGURES

PUBLISHED BY THE
BROOKLYN BOTANIC GARDEN
BROOKLYN, NEW YORK
U. S. A.

INDEX TO VOLUME 28

Page numbers printed in **boldface** refer to headings and main citations.

Abstracts, Genetics Society, **69**–96
Aceratagallia sanguinolenta, 200
Acrididae, chromosome structure, **2**–8
Adalia bipunctata, 184
AEBERSOLD, P. C., 398, 399, 408, 409, 411, 412
AKELEY, R. V., **72**
ANDERSON, E., 26, 227, 232
ANDERSON, R. C., **85**, 377
ANDERSON, R. L., 377
ARISZ, W. H., 526
ATTECK, O. M., 66
ATWOOD, K. C., 108
ATWOOD, S. S., **69**
AVERY, A. G., **69**, 350, 512
AVERY, P., 227, 350, 361

bacteria and virus resistance, **491**–511
BAGG, H., 344, 347
BAKER, G. A., 251
BAKER, M. L., 488
BALL, R. G., **77**
BALMUKAND, BHAI, 419, 420
barley
  genes: *at*, *k*, *e*, *b*, *bl*, *br*, *f*, *fc*, *gs*, *gl*, *gp*, *i*, *lg*, *n*, *o*, *s*, *v*, *r*, *l*, *lr*, *y*, *yc*, *xc*, *zd*, **419**–440
  linkage, **419**–440
BARTLETT, M. S., 221, 239
BAUER, H., 415
BEADLE, G. W., 293, 362
BECKER, E., 286, 289, 293
BEERS, C. V., **70**
BEINHART, E. G., 526
BELLING, J., 361
BENKERT, LYSBETH HAMILTON, 373, 375, 376
BENNETT, C. W., 200
BERGER, C. A., **70**
BERGNER, A. D., **70**
BERNSTEIN, F., 161
BETTMAN, S., 41
BLACK, L. M., **200**–209
BLACK, W. G., 9
BLAKESLEE, A. F., **69**, **70**, 227, 249, 350, 512
BLISS, C. I., **218**–226
BLOOM, M. A., 224
BLOOM, W., 224
BONNEVIE, K., 41, 347
BORISON, H. L., 161
BOSTIAN, C. H., 367, 374
BOZEMAN, M. L., **71**
BREHME, K. S., 462
BRIDGES, C. B., 64, 97, 98, 211, 246, 441, 442, 445, 456, 462
BRIEGER, F. G., **269**–274
BROOKINS, W. W., 434
BROWN, D. S., 257
BROWNING, G. M., 257
BRUCKNER, J. H., **77**
BRYSON, V., 29, 36, 39, 341
BUNTING, M. I., 509
BURKART, A., 64
BURKHOLDER, P. R., 253
BURNET, F. M., 491, 492
BUTENANDT, A., 286

BYWATERS, J. H., 481

CAMERON, D. R., 531
CARSON, H. L., **71**
CASPARI, E., 37, 38, **286**–294
CASTLE, W. E., 65
CATCHESIDE, D. G., 409, 412
CHANDLER, C., 358
CHARLES, D. R., 60, 65, 231, 398, 402
CHASE, H. B., 57
CHESLEY, P., 29, 34, 187, 346
CHEVAIS, S., 292, 293
chick, deficiency of riboflavin, **79**
Chlorogenus euletticola, 200
Chorthippus parallelus, 2
Chorthippus viridifasciata, 2
Chortophaga viridifasciata, 2, 5
chromosome
  aberrations, **78**
  isolation from resting nuclei, **86**
  nucleoproteins, **82**
  rearrangement, **79**
  structure, **2**–8
Cicadulina mbila, 200
CLARK, A. M., 377
CLARK, C. F., 510
CLAUSEN, R. E., 530, 531, 533, 534, 536
clover leafhopper, **200**–209
COCHRAN, W. G., 489
colchicine, **73**
COLE, L. J., 9, 17, 25, 27
COLE, R. K., **77**
COLEMAN, L. C., **2**–8
COLEMAN, O. H., 434
Columba, cellular characters, 9–28
Columba fasciata, 10
Columba flavirostris, 10
Columba guinea, 9, 10
Columba janthina, 10
Columba leucocephala, 10
Columba livia, 9, 10
Columba maculosa, 10
Columba oenas, 10
Columba palumbus, 10
Columba picazuro, 10
Columba rufina, 10
COMMON, R. H., 223
CREIGHTON, HARRIET B., **72**
creeper fowl, **218**–226
CROMWELL, H., 41, 44
CROUSE, H. V., 193
CUMLEY, R. W., **9**–28
CUMMINS, H., 41, 43, 47
CUNNINGHAM, B. B., 256
CURTIS, B. R., 417

Dactylis glomerata, meiotic irregularity, **83**, **388**–397
DANFORTH, C. H., 56
DARK, S. O. S., 361
DARLINGTON, C. D., 6, 7, 272, 356, 361, 362, 378, 379, 512, 518, 519, 522, 528
DARWIN, C., 476, 480

Datura
geographical distribution, 70
mutation rate, 69
Datura stramonium, 227
DAVID, P. R., 225
DAVIDHEISER, B., 193–199
DAVIS, B. M., 275–285
DE ABERLE, S. B., 56
D'HERELLE, F., 491
DELBRÜCK, M., 411, 491–511
DEMEREC, M., 64, 96, 98–102, 104, 108, 109, 112, 211–215, 415
DEMING, G. W., 434
DEMPSTER, E. R., 398, 414, 415
DEOBOLD, H. J., 223
dermatoglyphics and functional handedness genetic interrelationships, 41–48
DE WINIWARTER, H., 4
DICK, J. R., 9
DICKERSON, G. E., 489
DOBROVOLSKAIA-ZAWADSKAIA, N., 29
DOBZHANSKY, TH., 26, 27, 49, 66, 102, 105, 106, 116, 134, 139, 155, 162–186, 295–303, 304–340, 476
DOMM, L. V., 224
doubleness in Petunia, 72
DOVE, W. F., 72
DOZORCEVA, R. L., 378
Drosophila, 26, 74, 92
Drosophila funebris, 304
Drosophila melanogaster, 38, 304, 441
aristapedia alleles, 94
Bar eye, cytological analysis, 97–107
chaetae number and size, 84
chromosomal rearrangement, 79
deficiency, 210–217
egg production, 93
eye size, 87
genes
ac, 210
ar, 82
B, 54, 97–107
ci, 92, 441
ey, 441
h, 49–68, 84
Hw, 49–68, 84
m, 83
M-4, 441
pyd, 49–68, 84
sc, 210
se, 49, 84
sw, 210
y, 49, 84, 210
w, 210
genes, manifold effects, 295–303
heavy water and mutations, 96
heterosis, 93
infertility, 85
inversion, 210–217
lethal mutation rate, 77
mutations affecting chaetae, 49–68
nervous system, 86
neutron-induced lethals, 74
proteolytic enzymes, 96
pseudo-deficiencies and translocations, 108–113
translocation, 210–217
yellow-scute region, cytogenetic study, 210–217
Drosophila pseudoobscura, 83
populations, 162–186, 304–340
DUBININ, N. P., 38, 102–105, 470
DUNDAS, B., 534
DUNN, L. C., 29–40, 49, 187–192, 218, 286, 302, 341, 345, 346

EAST, E. M., 231, 246
EIGSTI, O. J., 73
EINSET, J., 349–364
EISENHART, C., 483
ENZMANN, E. V., 251
Ephestia kuhniella, genes affecting testis color, *a*, a^k, *Ri*, 286–294
EPHRUSSI, B., 292, 293
EPLING, C. C., 139, 155, 162, 304, 322
Escherchia coli, 501
Eutettix tenellus, 200
EXNER, F. M., 296

FABERGÉ, A. C., 402
FANKHAUSER, G., 74
FANO, U., 74, 103, 104, 398, 414, 415
FERGUSON, L. C., 24
FINKEL, S., 161
FISCHER, H. E., 394
fish
genes: Blond, p^{Co}, p^{C}, p^{Ce}, *E*, Golden, Hunchback, p^{M}, p^{Me}, p^{O}, p^{T}, 75, 76
FISHER, R. A., 191, 201, 220, 389, 390, 419, 420, 477, 486
FOGEL, S., 90
FORER, S , 157
FORTUNE, W. B., 256
fowl
lymphomatosis, 77
shank growth ratios, 80
FRASER, F. C., 91, 92
FROST, H. B., 350

Galton and Mendel Memorial Fund, 114, 139, 275
GEITLER, L., 269
genetics of natural populations, 162–186, 304–340
Genetics Society of America, abstracts, 69–96
genic action, 441–475
GERSHENSON, S., 181
GERSTEL, D. U., 531, 533–536
GILES, N. H., JR., 398–418, 512–524
GLICK, D., 88
GLUECKSOHN-SCHOENHEIMER, S., 29–40, 187, 188, 192, 341–348
GOLDAT, S. J., 105
GOLDEN, A., 9, 15
GOLDSCHMIDT, R., 24, 108–113, 215, 445, 470
GOODALE, H. D., 75
GOODRICH, H. B., 75
GOODSPEED, T. H., 227, 350, 361, 525, 526, 530, 533, 534
GORDON, C. D., 9, 444
GORDON, M., 76
GOWEN, J. W., 76, 93
GRANER, E. A., 269–274
GRATIA, A., 491
GREB, M. T., 373

GREB, R. J., 373
GREEN, C. V., 64
GREEN, E. L., 87
GREENSHIELDS, F., 378
GRIFFEN, A. B., 102, 445
GRUBER, G. B., 347
GRUNEBERG, H., 39, 302
GUSTAFSSON, A., 63

Habrobracon
  eggs, hatchability and chromosome changes, 94
  genes: *c, fu, gl, le, mo, o, rd, r, Sk, sb, bl, wh,* 365–382
  sex determination, 365–382
Habrobracon juglandis, 365
HAGER, R. P., 374, 375
HALDANE, J. B. S., 27
HALPIN, J. G., 223
HARLAN, H. V., 419, 420
HARLAND, S. C., 66
HARRISON, R. W., 75
HART, E. B., 223
HASLAM, R. J., 525
HAZEL, L. N., 476–490
heavy water and mutations, 96
HEIDENTHAL, GERTRUDE, 470, 472
HEITZ, E., 2, 6
HELD, E., 162
hemophilia, heredity and treatment, 70
hemorrhagic diathesis, 78
HENDERSON, M. T., 419–440
HERSH, A. H., 54–56
HILL, HELEN D., 383–397
HILL, H. E., 349, 350, 352, 355
HILLARY, B. B., 5, 6
HINTON, T., 108
HOFFER, G. N., 266
HOLLANDER, W. F., 76
HOLMBERG, A. D., 22, 27
HOLMES, F. O., 200, 510, 525, 530, 531, 533
HOLZ, A. M., 162, 181, 295–303
HOOVER, M. E., 64, 100, 108, 109, 112, 211, 213–215
HOR, K. S., 419
Hordeum (See barley)
HORN, ANNABELLE B., 379
HOUGHTALING, H., 227
HOVANITZ, W., 134, 155, 162, 304, 332, 337
HUGHES-SCHRADER, S., 271, 273
HUMPHREY, L. M., 394
HUMPHREYS, R. F., 417
HUTT, F. B., 77, 79

IMMER, F. R., 419–440
INABA, FUMIE, 378
INGALLS, R. A., 266
INGERSOLL, F., 420
INGRAHAM, L. J., 509
IRWIN, M. R., 9–28
iso-chromosome, 512–524
isolation by distance, 114–138
IVES, P. T., 77

JACKSON, C. H. N., 304, 305
JANAKI-AMMAL, E. K., 6
JONES, D. F., 78
JOSEPHSON, N. D., 75

KALISS, N., 78
KARIHER, D. H., 157
KARPECHENKO, G. D., 227
KAUFMANN, B. P., 69, 79, 215, 398, 414–416
KEITH, H. H., 41
KHWOSTOVA, W. W., 442
KIKKAWA, H., 292, 293
KING, H. D., 347, 348
KOBOZIEFF, N., 29, 32, 187
KODANI, M., 108–113, 215
KOLLER, P. C., 162, 178, 512, 518
KOONCE, D., 434
KOSSIKOV, K. V., 97
KÜHN, A., 293

LAMM, R., 394
LAMOREUX, W. F., 79
LANDAUER, W., 218–226, 302, 347
LANDSTEINER, K., 9, 16, 17, 24, 157, 159, 161
LAWRENCE, J. H., 398, 399, 408, 409, 412
LEA, D. E., 409, 412, 414
leafhopper, 200–209
LEAGUE, B. B., 445
LEASE, E. J., 223
LEBEDEFF, G. A., 80
Lebistes reticulatus, genes (See fish), 75
LECHE, S., 41
LERNER, I. M., 64, 80
LESLEY, J. W., 350, 362
LEVINE, PH., 24, 161
LEWIS, H., 162, 304
Libocedrus decurrens, 309
Linanthus Parryae, variability of flower color, 139–156
LINDEGREN, C. C., 81
LINDEGREN, GERTRUDE, 81
LINDSTROM, E. W., 81, 94, 394
Lilium tigrinum, 358
LOEHWING, W. F., 266
Lolium perenne, 358, 388
LONGLEY, A. E., 354
LUCE, W. M., 106
LURIA, S. E., 491–511
LUSH, J. L., 476, 481, 488, 489
Lycopersicum esculentum, 394
lymphomatosis, 77

MACDOWELL, E. C., 49
MACRAE, N. A., 525
maize (See *Zea mays*)
  bacterial wilt pathogen, 94
  dominance in quantitative character, 81
  gene variability, 90
  genes
    A, 91
    bl, 78
    Pr, 78
    R, 90
  hybrid vigor, 89
  mutations, 91
  trisomes, 349–364
MALLAH, G. S., 525–532, 533
man, sex-linkage, 78
MANGELSDORF, P. C., 227, 250, 352
MANN, W. H., 27
MARELLI, C. A., 27

MARENGO, N. P., **82**
MARINELLI, L. D., 398, 402, 403
Marmor maidis var. *typicum*, 200
Marmor vastans H. var. *vulgare*, 200
MARQUARDT, H., 242
MARSHAK, A., 242, 398, 411, 412
MARTINI, M. L., 419, 420
MATHER, K., 181, 361, 419
MATSUURA, H., 362
MAXWELL, JANE, 369
McCLINTOCK, B., 6, 349, 350, 352, 353, 355
McCLURE, K., 41
McGIBBON, W. H., 9
McLEAN, F. C., 224
McNABB, J. W., 7
McVEIGH, I., 253
meiosis and mitosis, **70**
Melanoplus femur-rubrum, 2
Melanoplus mexicanus, 5
MELLON, M. G., 256
METZ, C. W., 193
MILLER, C. P., JR., 9, 16, 17
MIRSKY, A. E., **82, 86**
MIRSKY, R., 304
MITCHELL, J. H., 223
mitosis and meiosis, **70**
MOHR, O. L., 4, 7, 445, 463, 470
MOLLN, A. E., 481, 488
MORGAN, C. L., 223
MORGAN, T. H., 445
mosaic disease, **533–536**
mouse, **29–40, 75, 78, 87, 341–348**
  abnormal ratios, **187–192**
  coat color, **87**
  dominant mutation affecting tail and urogenital system, **341–348**
  fluorescence of Harderian glands, **93**
  genes
    t^1, t^9, *T*, *Fu*, *Ki*, 29–40
    A^y, A^w, *a*, *B*, *b*, *P*, *p*, *D*, *d*, *C*, c^{ch}, c^a, *c*, 87–88
    N, *n*, hr^{ch}, *hr*, *ma*, *wa-1*, *wa-2*, **91–92**
    d, *b*, *a*, c^a, c^{ch}, *ln*, *m*, 95
    sd, *T*, 341–348
  "Misty," coat color dilution, **95**
  recombination among three lethal mutations, **29–40**
  selection, **75**
  skeletal difference, **87**
  social organization and behavior, **88**
  spleen transplantation, **78**
MULLER, H. J., 66, **83**, 97, 99, 102, 108, 109, 112, 216, 409, 414–416, 445, 470
MURRAY, H. A., JR., 225
mutation rate, size of X chromosome, **83**
mutations and heavy water, **96**
mutations of bacteria, **491–511**
MURPHY, ELIZABETH F., **72**
MYERS, W. M., **83**, 358, **383–397**

NAGEL, L., 235
natural populations, **71**
NEBEL, B. R., 394, 398, 402, 520
NEEDHAM, J., 64, 65
NEEL, J. V., **49–68, 84**, 296, 471
NELSON, R. H., **76**, 488
neutron-induced lethals, **74**
neutrons, cytogenetical effects, **398–418**
NEWCOMBE, H. B., 247
NEWMAN, H. H., 41
NEWTON, W. C. F., 361
Nicotiana, size in, **227–236**
Nicotiana glutinosa, 533
Nicotiana Langsdorffii, 89, **227–236**
Nicotiana Sanderae, 89, 227
Nicotiana sylvestris, 227, 350, 360
Nicotiana Tabacum, **525–532**
NILSSON, N. H., 64
NOLLA, J. A. B., 525, 526
nucleoproteins of chromosomes, **82**

OEHLKERS, F., 362
Oenothera, amphidiploid progeny of *franciscana*×*biennis*, **275–385**
OFFERMAN, C. A., 445
OLIVER, C. P., **85**, 377
OLMO, H. P., 526, 528
OLSEN, C., 254
O'MARA, J. G., 227
OSTERHOUT, W. J. V., 264, 266
OURA, G., 6

PADDOCK, E. F., **85**
PAINTER, T. S., 24
Paramecium aurelia, serological characters, **90**
PATTERSON, J. T., 26, 162, 183
Pearlneck, 9
PENROSE, L. S., 44
Petunia, color pattern and doubleness, **72**
Phaseolus vulgaris, hard-seed production, **80**
Phleum pratense, 358
Phleum subulatum, 358
Phrynotettix magnus, 4
Phytomonas stewartii, 94
pigeon, directed mutation, **76**
Pinus Coulteri, 309, 310
Pinus ponderosa, 309, 313
PIPKIN, S. B., 54
Pisum sativum, 239
PIZA, S. T., JR., 269, 271, 273
Platypoecilus maculatus, genes (See fish), **76**
pollen, mutation rate, **237–252**
POLLISTER, A. W., **82, 86**
POMRIASKINSKY-KOBOZIEFF, N. A., 29, 187
PONTECORVO, G., 66, 415
PORTERFIELD, W. M., 358
potatoes, inheritance of vitamins C and A, **72**
POULSON, D. F., **86**
POWER, M. E., **87**
Primulas sinensis, 252
PROKOFYEVA-BELGOVSKAYA, A. A., 97
proteolytic enzymes, 96
Pteris aquilina, 313
Pteromalus puparum, 378

Quercus chrysolepis, 309, 310
Quercus Kellogii, 309, 310, 313
QUEAL, M. L., 162, 164, 178

rabbit
  atropinesterase, **88**
  genes
    E, 88
    As, 88
RANDOLPH, L. F., 7, 349, 360, 394, 396
RAPOPORT, J. A., 97

RATCLIFFE, H. L., 347, 348
REEVES, R. G., 227
REUTER, E., 272
Rh factor, heredity of, 157–161
RHOADES, M. M., 2, 250, 349, 352, 357, 362, 512, 523
RHOADES, V. H., 250
riboflavin, in chick, 79
RICK, C. M., 237–252, 398, 400, 411
RICK, MARTHA O., 251
RIFE, D. C., 41–48
Ring dove, 9
RINGROSE, R. C., 223
RIS, H., 271, 273
ROBERTSON, D. W., 419, 420, 434
ROBERTSON, T., 78
ROBINSON, R. R., 257
ROGERS, C. H., 266
ROMAN, H., 91
ROQUE, A., 525
RUSSELL, ELIZABETH S., 87
RUSSELL, W. L., 61, 87
RUTTLE, MABEL L., 394
RYDQUEST, HELEN, 473

Saccharomyces cerevisiae, mating, 81
salamanders, triploidy, 74
SANG, J. H., 444
SATINA, S., 249
SAWIN, P. B., 88
SAX, K., 237, 239, 240, 242–244, 246–249, 399–406, 410, 411, 413, 417
SAYWELL, L. G., 256
SCHAEFFER, ELIZABETH WHITE, 473
Schistocerca gregaria, 2
SCHNELL, LEONA, 73
SCHRADER, F., 269, 272
SCHULTZ, E. S., 510
SCHULTZ, J., 445, 460, 461
SCHWAB, J. J., 295–297, 299
SCHWEITZER, M. D., 78
Sciara coprophila, 193
Sciara impatiens, natural populations, 71
Sciara ocellaris
  inheritance of X chromosome, 193–199
  irradiation on oöcytes, 71
SCOTT, J. P., 88
SCOTT-MONCRIEFF, R., 253
Secale cereale, 227
selection indexes, 476–490
Senegal, 9
SETCHELL, W. A., 525
sex determination, 76
sex linkage, 78
SEYSTER, E. W., 106
SHIVE, J. W., 266
SHULL, W. G., 70
SIDOROFF, B. N., 38, 470
SILOW, R. A., 61
SINGLETON, W. R., 89, 352
SINNOTT, E. W., 227
SMITH, F., 477
SMITH, H. H., 65, 89, 227–236
SMITH, S. G., 378
SMITH, S. N., 253
SMITH-STOCKING, H., 193
SNEDECOR, G. W., 239, 385, 481
SNELL, G. D., 367
SOKOLOFF, A., 162, 304
Solanum Douglasii×*S. nodiflorum* inversion, 85
Solanum tuberosum, 200
SONN, EVA B., 157–161
SONNEBORN, T. M., 90
soybeans, iron utilization, 253–268
SPARROW, A. H., 394
SPASSKY, B., 181
SPEICHER, B. R., 374, 377, 378
SPEICHER, KATHRYN B., 378
SPINDLER, H. A., 157
STADLER, L. J., 90, 91, 246, 247, 420
STALKER, H. D., 472
STEINBERG, A. G., 29, 91, 92
STERN, C., 49, 64, 92, 250, 272, 441–475
STEVENSON, F. J., 510
STONAKER, H. H., 481, 488
STONE, W. S., 445
STOREY, H. H., 200, 201, 203
STRAUS, F. S., 93
STOUT, A. B., 358
STOW, I., 362
Streptopelia chinensis, 9
Streptopelia risoria, 9
Streptopelia senegalensis, 9
STRONG, L. C., 93
STURTEVANT, A. H., 26, 97, 162, 163, 179, 181–183, 380, 445
SUTTON, EILEEN, 97–107, 108, 109, 210–217
SULLIVAN, J. T., 69
SWANSON, C. P., 237, 242, 248

TATUM, E. L., 293
TAYLOR, W. R., 513
TENNEY, BARBARA, 73
Tettigonia albifrons, 4
Tettigonia (*Locusta*) *viridissima*, 4
THODAY, J. M., 398, 399, 402, 410–412
THOMAS, P. T., 6, 7
THOMAS, ROSE HAIG, 525
THOMPSON, D. H., 124
THORP, J., 265
THURSTONE, L. L., 42
TICE, S. C., 97, 105
TIMM, E. W., 94
TIMOFEEFF-RESSOVSKY, N. W., 184, 244, 246, 304, 305, 331, 332, 340, 398, 407, 414
Tityus bahiensis, cytology of, 269–274
TODD, C., 24
tomatoes, dominance in quantitative characters, 81
Tradescantia canaliculata, 227
Tradescantia subaspera, 227
Tradescentia paludosa, 237, 398
TRELEASE, S. F., 525
Trifolium incarnatum, 200
TRINKAUS, J. B., 75
Triticum vulgare, 227
TROST, J. F., 266
TYLER, C., 223

UPCOTT, M. B., 6, 512, 518

VILKOMERSON, H., 523
VILLEE, C. A., 94
Vinca rosea, 73

virus, potato yellow-dwarf, transmission, **200–209**
virus resistant bacteria, **491–511**
vitamins in potatoes, **72**
VOLOTOV, E. N., 102–105

WAITE, H., 41
WALLACE, B., 162, 304
WALLACE, H. E., 200
WARWICK, B. L., 291
WATKINS, A. E., 358
WATSON, RITA C., **74**
WEBSTER, L. T., 510
WEIDEL, W., 286
WEISS, M. G., **253–268**
WENNIGER, M., 41
WETTSTEIN, F. VON, 227
WHATLEY, J. A., JR., 481, 487, 488
WHIPPLE, I. L., 47
WHITE, M. J. D., 2–7
white clover, inheritance of cyanogenetic glucoside, **69**
White Leghorns, 79
WHITING, ANNA R., **94**
WHITING, P. W., 286, 287, **365–382**
WIEBE, G. A., 419, 420
WIENER, A. S., 17, **157–161**
WILHELM, L. A., 225
WILSON, E. B., 4, 272
WINTERS, L. M., 477
WITKUS, E. R., **70**
WOOLLEY, G. W., **95**
WRIGHT, S., 56, 57, 59, 61, **114–138**, **139–156**, 162, **304–340**, 470, 478, 479, 486, 487

X-rays, cytogenetical effects, **398–418**

YATES, F., 43
YULE, G. U., 2, 201

ZAMENHOF, S., **96**
Zea mays, 227, 254, 469
ZIMMER, K. G., 398, 407, 414